



## MAGNAPRINT® SUPER GLOSS

A clear ink giving a high gloss finish

### KEY FEATURES

- Clear ink for overprinting High Solid inks
- Gives a shiny high gloss finish
- Provides reduced surface "tack"

### APPLICATION

- Ready to print
- Use 43 – 77T (110 - 196) mesh screens with rectangular profile squeegees
- Print in the last position over flash cured ink

### MAGNAPRINT ADDITIVES (OPTIONAL)

Refer to relevant TDS for more information


- **CROSSLINKER 500** (3% max)  
Reduce the curing temperature of the Ink to 120°C (248°F)
- **CROSSLINKER 200** (2% max)  
Allows for curing at room temperature - 48 hours

### SPECIFICATIONS



#### FABRIC TYPE

Cotton  
Polycotton Blends



#### MESH

**COUNT:** 43-77T (110-196)



#### SQUEEGEE

**SHORE:** 65°  
**EDGE:** Rectangular  
**ANGLE:** 10-15°



#### STENCIL

**TYPE:** Water Resistant Emulsion  
**EOM THICKNESS:** Standard  
**CONTACT:** 3-4mm off



#### TEMPERATURE

**CURE:** 1.5-2 minutes  
165°C (330°F)  
**FLASH:** N/A



#### MAGNAPRINT ADDITIVES

Crosslinker 500, 200



#### STORAGE

Store Properly Closed  
>5 °C (40 °F) <25 °C (77 °F)



#### HEALTH & SAFETY

**MSDS:** Available Upon Request



#### CLEAN UP

Water & Mild Detergent

Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.