



MagnaPrint® Emboss

Ready to use printing paste for embossed effects

MagnaPrint® Emboss is a ready to use water-based print paste for achieving an embossed surface to polyester fabrics. The ink is designed to be washed off following use, leaving a raised effect to desired areas of the fabric.

Application

MagnaPrint® Emboss can be printed directly on fabric. Stronger effects can be achieved by using several printing strokes.

Printing is best undertaken using 43T (110) mesh screens with rectangular squeegees.

After printing, the fabric should be cured for a minimum of 2 ½ minutes at 165 - 170°C (330 - 340°F). Ideally thoroughly wash the material as soon as possible following curing to remove the ink for strongest effects.

SPECIFICATION



FABRIC TYPES
Polyester



MESH
43T (110)



SQUEEGEE
Medium 65° Shore
Rectangular



STENCIL
Water resistant emulsion



CURE TEMPERATURE
2 ½ minutes at 170°C
(340°F)



STORAGE
In cool place properly closed:
>5°C (40°F) <25°C (77°F)



HEALTH & SAFETY
MSDS available upon request



CLEAN UP
Wash off screen using water and mild detergent

Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.

