



MagnaPrint® Matt Top Coat

A clear ink that gives a matt finish to prints.

MagnaPrint Matt Top Coat - is a clear high solids water-based ink, used as an overprint to give a matt finish to water-based inks. It has been designed to give an excellent print performance and open time on high mesh screens. **MagnaPrint Matt Top Coat** can also improve wet & dry crocking results.

Application

Printing is best undertaken using 34 – 120T (86 - 305) mesh screens with rectangular profile squeegees. **MagnaPrint Matt Top Coat** is printed as an overprint in the last position over flash dried ink.

After printing the garment/panel should be dried and ideally cured for 1-1½ minutes at 165°C (330°F).

SPECIFICATION



FABRIC TYPES

Cotton / Poly Cotton blends



MESH

34 - 120T (86 – 305)



SQUEEGEE

Medium 65° Shore
Rectangular



STENCIL

Water resistant emulsion



CURE TEMPERATURE

1/1.5 minutes at 165°C (330°F)



STORAGE

In cool place properly closed:
>5°C (40°F) <25°C (77°F)



HEALTH & SAFETY

MSDS available upon request



CLEAN UP

Wash off screen using water and mild detergent

Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.

