



MagnaPrint® Wet Reveal

Ready-to-use printing paste that, when printed, disappears under application of water to reveal print underneath.

MagnaPrint® Wet Reveal is a brand new, ready-to-use special effect printing paste. When printed, the ink is opaque and will turn transparent when wet allowing screen printers to incorporate hidden effects beneath a white top coat of ink. The printed area returns to its original opaque appearance when dry. MagnaPrint® Wet Reveal is recommended for printing over the AquaFlex V2 system.

Application

To achieve maximum opacity, MagnaPrint® Wet Reveal is best printed through 43T (110) mesh screens with medium 65° shore rectangular profile squeegees.

We recommend 2 top coat layers with a flash in between. Adding more layers may result in the surface cracking.

Some colours that are printed underneath could be slightly visible more than others.

After printing the garment/panel should be cured, ideally for 2 minutes at 160°C (320°F).

SPECIFICATION



FABRIC TYPES

Cotton / Poly Cotton blends



MESH

43 T (110)



SQUEEGEE

Medium 65° Shore
Rectangular



STENCIL

Water resistant emulsion



CURE TEMPERATURE

2 minutes at 160°C (320°F)



ADDITIVES

Retardant Gel, Crosslinker 100,
Softener TS Conc



STORAGE

In cool place properly closed:
>5°C (40°F) <25°C (77°F)



HEALTH & SAFETY

MSDS available upon
request



CLEAN UP

Wash off screen using water
and mild detergent

Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.

