



MagnaPrint® Thickener A

Rheology Modifier for increasing product viscosity

MagnaPrint® Thickener A is a high efficiency pH thickener developed specifically for the Textile Printing Industry. MagnaPrint® Thickener A is supplied as a low viscosity emulsion at low pH; it thickens as pH increases and develops full viscosity at about pH 8 - 8.5

Pigment printing formulations can be effectively thickened by the direct addition of MagnaPrint® Thickener A to the mix or by following the conventional method of preparing a thickener stock with or without other ingredients.

MagnaPrint® Thickener A is a multifunctional thickener for use in printing cotton, polyester, blended fabrics or other fibrous materials.

Application

MagnaPrint® Thickener A can be used as a back thickener for readymade printing pastes and specialities.

MagnaPrint® Thickener A can be added 0.5 - 5 % depending on desired viscosity.

SPECIFICATION



FABRIC TYPES



MESH



SQUEEGEE



STENCIL



CURE TEMPERATURE



PIGMENT LOADING



ADDITIVES



STORAGE

In cool place properly closed:
>5c (40F) <25c (77F)



HEALTH & SAFETY

MSDS available upon request



CLEAN UP

All information is given in good faith but without warranty. They do not release you from testing our products as to their suitability for the intended processes and uses.